

DO NOT SEND TO WAREHOUSE

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

1-27-05

Paper No.:

TO SPE OF

ART UNIT 2851 R ADAMS

SUBJECT

Request for Certificate of Correction on Patent No.:

60819974

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Certificates of Correction Branch - PK 3-915

Palm location 7580 - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Should the claim be added? -

Thank You For Your Assistance

R. Johnson
Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ Approved

All changes apply.

☐ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments:

SPE

Art Unit

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,819,974 B1

Page 1 of 1

DATED : November 16, 2004

INVENTOR(S) : Coleman et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 32,

Line 30, insert the following claim:

--31. The method of claim 29, wherein the global positioning accuracy check is performed on a periodic basis with less frequency than the procedures defined in steps (a) and (b).--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 6,819,974 B1

No. of add'l. copies
@ 30¢ per page



DEC 15 2004